AUTHOR INDEX TO VOLUME 16

Note: All conferences, meetings, and symposia notices are under one heading: ANNOUNCEMENTS

ALBERMAN, E., *see* POLANI, P. E. *et al.*

ALEXANDER, B. J., *see* POLANI, P. E. *et al.*

ALGOM, M., *see* FRIED, K. *et al.*

ALONI, T., *see* GRANAT, M. *et al.*

ALMOG, C., FRIED, K., REIF, R., ZIEGHELBOIM, J., and LEWINSOHN, G.: Autosomal recessive lipid storage myopathy (probable carnitine deficiency), 435

ANGIUS, A., *see* FURBETTA, M. *et al.*

ARAPAKIS, G., *see* LADAS, S. *et al.*

ARCHIDIACONO, N., TECILAZICH, D., TONINI, G., ROCCHI, and FILIPPI, G.: Trisomy 20p from maternal t(3;20) translocation: case report, 229

see also RINALDI, A. *et al.*
ROCCHI, M. *et al.*

AYMÉ, S., PELISSIER, J. F., GARNIER, J. M., MATTEI, J. F., and GIRAUD, F.: Duchenne type muscular dystrophy and consanguinity: difficulties in pedigree analysis: case report, 393

BADR, F. M., *see* WALLACE, M. E. *et al.*

BADR, R. S., *see* WALLACE, M. E. *et al.*

BARAK, Y., *see* FRYDMAN, M. *et al.*

BASS, H. N., and SPARKES, R. S.: Two balanced translocations in three generations of a pedigree: t(7;10)(q11;22q) and t(14;21)(14qter→cen→21qter), 215

BAUGHMAN, F. A., *see* TORIELLO, H. V. *et al.*

BEER, S., *see* FRIED, K. *et al.*

BEIGHTON, P., *see* BONAFEDE, R. P. *et al.*
GOLDBLATT, J., and BEIGHTON, P.

BENE, M., DUCA-MARINESCU, D., IOAN, D., and MAXIMILIAN, C.: *De novo* interstitial deletion del(1)(p21p32): case report, 323

BENSON, P. F., *see* POLANI, P. E. *et al.*

BERNSTEIN, R., DAWSON, B., KOHL, R., and JENKINS, T.: X:15 translocation in a retarded girl: X inactivation pattern and attempt to localise the hexosaminidase A and other loci, 254

BERRY, A. C., HONEYCOMBE, J., and MACOUN, S. J. R.: Two children with partial trisomy for 7p: case report, 320

see POLANI, P. E. *et al.*

BESHARA, D., *see* STOLL, C. *et al.*

BIJLSMA, J. B., *see* KLEP-DE PATER, J. M. *et al.*

BLEEKER-WAGEMAKERS, E. M., *see* KLEP-DE PATER, J. M. *et al.*

BLUNT, S., *see* NIAZI, M. *et al.*
POLANI, P. E. *et al.*

BOCCHINI, V., *see* GERLI, M. *et al.*

BODMER, W. F., and CLARKE, C. A.: Medical genetics in China, 330

BONAFEDE, R. P., BOTHA, M. C., and BEIGHTON, P.: Inherited anaemias in the Greek community of Cape Town, 197

BOTHA, M. C., *see* BONAFEDE, R. P. *et al.*

BRENNAN, B. G., and CARR, D. H.: Parental origin of triploidy and D and G trisomy in spontaneous abortions, 285

BUCK, P., *see* STOLL, C. *et al.*

BUNDEY, S., CRAWLEY, J. M., EDWARDS, J. H., and WESTHEAD, R. A.: Serum creatine kinase levels in pubertal, mature, pregnant, and postmenopausal women, 117

BURN, J., and GIBBENS, D.: May spina bifida result from an X-linked defect in a selective abortion mechanism?: hypothesis, 210

BURNS, C., *see* HEMMING, L., and BURNS, C.

CAMPBELL, W. A., and PRICE, W. H.: Congenital hypothyroidism in Klinefelter's syndrome, 439

CAO, A., *see* FURBETTA, M. *et al.*

CARR, D. H., *see* BRENNAN, B. G., and CARR, D. H.

CARTER, C. O., EVANS, K., and PESCIA, G.: A family study of renal agenesis, 176

CARTWRIGHT, R. A., *see* WILLIAMS, D. R. R., and CARTWRIGHT, R. A.

CHALEVELAKIS, G., *see* LADAS, S. *et al.*

CHANDLEY, A. C., *see* THOMSON, E. *et al.*

CHASE, G. A., *see* ROGERS, J. G., and CHASE, G. A.

CLARKE, A. J., *see* DANIEL, A. *et al.*

CLARKE, C. A.: Editorial, 329

see also BODMER, W. F., and CLARKE, C. A.

CLARKE, G., *see* LINDENBAUM, R. H. *et al.*

CLAVERT, A., *see* STOLL, C. *et al.*

CLEGG, J. B., *see* HIGGS, D. R. *et al.*

COHEN, T., STERN, E., and ROSENMANN, A.: Sib risk of neural tube defect: is prenatal diagnosis indicated in pregnancies following the birth of a hydrocephalic child?, 14

COLEMAN, D. V., *see* NIAZI, M. *et al.*

COOPER, D. W., and LISTON, W. A.: Genetic control of severe pre-eclampsia, 409

CÔTÉ, G. B., and PAPADAKOU-LAGOYANNI, S.: β-thalassaemia: increased chromosomal anomalies in lymphocyte cultures, 52

COWEN, J. M., WALKER, S., and HARRIS, F.: Trisomy 13 and extended survival: case report, 155

AUTHOR INDEX TO VOLUME 16

Note: All conferences, meetings, and symposia notices are under one heading: ANNOUNCEMENTS

ALBERMAN, E., *see* POLANI, P. E. *et al.*

ALEXANDER, B. J., *see* POLANI, P. E. *et al.*

ALGOM, M., *see* FRIED, K. *et al.*

ALONI, T., *see* GRANAT, M. *et al.*

ALMOG, C., FRIED, K., REIF, R., ZIEGHELBOIM, J., and LEWINSOHN, G.: Autosomal recessive lipid storage myopathy (probable carnitine deficiency), 435

ANGIUS, A., *see* FURBETTA, M. *et al.*

ARAPAKIS, G., *see* LADAS, S. *et al.*

ARCHIDIACONO, N., TECILAZICH, D., TONINI, G., ROCCHI, and FILIPPI, G.: Trisomy 20p from maternal t(3;20) translocation: case report, 229

see also RINALDI, A. *et al.*
ROCCHI, M. *et al.*

AYMÉ, S., PELISSIER, J. F., GARNIER, J. M., MATTEI, J. F., and GIRAUD, F.: Duchenne type muscular dystrophy and consanguinity: difficulties in pedigree analysis: case report, 393

BADR, F. M., *see* WALLACE, M. E. *et al.*

BADR, R. S., *see* WALLACE, M. E. *et al.*

BARAK, Y., *see* FRYDMAN, M. *et al.*

BASS, H. N., and SPARKES, R. S.: Two balanced translocations in three generations of a pedigree: t(7;10)(q11;22q) and t(14;21)(14qter→cen→21qter), 215

BAUGHMAN, F. A., *see* TORIELLO, H. V. *et al.*

BEER, S., *see* FRIED, K. *et al.*

BEIGHTON, P., *see* BONAFEDE, R. P. *et al.*
GOLDBLATT, J., and BEIGHTON, P.

BENE, M., DUCA-MARINESCU, D., IOAN, D., and MAXIMILIAN, C.: *De novo* interstitial deletion del(1)(p21p32): case report, 323

BENSON, P. F., *see* POLANI, P. E. *et al.*

BERNSTEIN, R., DAWSON, B., KOHL, R., and JENKINS, T.: X:15 translocation in a retarded girl: X inactivation pattern and attempt to localise the hexosaminidase A and other loci, 254

BERRY, A. C., HONEYCOMBE, J., and MACOUN, S. J. R.: Two children with partial trisomy for 7p: case report, 320

see POLANI, P. E. *et al.*

BESHARA, D., *see* STOLL, C. *et al.*

BIJLSMA, J. B., *see* KLEP-DE PATER, J. M. *et al.*

BLEEKER-WAGEMAKERS, E. M., *see* KLEP-DE PATER, J. M. *et al.*

BLUNT, S., *see* NIAZI, M. *et al.*
POLANI, P. E. *et al.*

BOCCHINI, V., *see* GERLI, M. *et al.*

BODMER, W. F., and CLARKE, C. A.: Medical genetics in China, 330

BONAFEDE, R. P., BOTHA, M. C., and BEIGHTON, P.: Inherited anaemias in the Greek community of Cape Town, 197

BOTHA, M. C., *see* BONAFEDE, R. P. *et al.*

BRENNAN, B. G., and CARR, D. H.: Parental origin of triploidy and D and G trisomy in spontaneous abortions, 285

BUCK, P., *see* STOLL, C. *et al.*

BUNDEY, S., CRAWLEY, J. M., EDWARDS, J. H., and WESTHEAD, R. A.: Serum creatine kinase levels in pubertal, mature, pregnant, and postmenopausal women, 117

BURN, J., and GIBBENS, D.: May spina bifida result from an X-linked defect in a selective abortion mechanism?: hypothesis, 210

BURNS, C., *see* HEMMING, L., and BURNS, C.

CAMPBELL, W. A., and PRICE, W. H.: Congenital hypothyroidism in Klinefelter's syndrome, 439

CAO, A., *see* FURBETTA, M. *et al.*

CARR, D. H., *see* BRENNAN, B. G., and CARR, D. H.

CARTER, C. O., EVANS, K., and PESCIA, G.: A family study of renal agenesis, 176

CARTWRIGHT, R. A., *see* WILLIAMS, D. R. R., and CARTWRIGHT, R. A.

CHALEVELAKIS, G., *see* LADAS, S. *et al.*

CHANDLEY, A. C., *see* THOMSON, E. *et al.*

CHASE, G. A., *see* ROGERS, J. G., and CHASE, G. A.

CLARKE, A. J., *see* DANIEL, A. *et al.*

CLARKE, C. A.: Editorial, 329

see also BODMER, W. F., and CLARKE, C. A.

CLARKE, G., *see* LINDENBAUM, R. H. *et al.*

CLAVERT, A., *see* STOLL, C. *et al.*

CLEGG, J. B., *see* HIGGS, D. R. *et al.*

COHEN, T., STERN, E., and ROSENMANN, A.: Sib risk of neural tube defect: is prenatal diagnosis indicated in pregnancies following the birth of a hydrocephalic child?, 14

COLEMAN, D. V., *see* NIAZI, M. *et al.*

COOPER, D. W., and LISTON, W. A.: Genetic control of severe pre-eclampsia, 409

CÔTÉ, G. B., and PAPADAKOU-LAGOYANNI, S.: β-thalassaemia: increased chromosomal anomalies in lymphocyte cultures, 52

COWEN, J. M., WALKER, S., and HARRIS, F.: Trisomy 13 and extended survival: case report, 155

CRAWFURD, M. d'A., HARCOURT, R. B., and SHAW. P. A.: Non-progressive cerebellar ataxia, aplasia of pupillary zone of iris, and mental subnormality (Gillespie's syndrome) affecting 3 members of a non-consanguineous family in 2 generations, 373
KESSEL, I., LIBERMAN, M., MCKEOWN, J. A., MANDALIA, P. Y., and RIDLER, M. A. C.: Partial monosomy 7 with interstitial deletions in two infants with differing congenital abnormalities, 453
and SALDAÑA-GARCIA, P.: Brachydactyly and polydactyly with dermal ridge dissociation and ridge hypoplasia: case report, 402
see WHITELAW, A. G. L. *et al.*
CRAWLEY, J. M., *see* BUNDEY, S. *et al.*
CRISPONI, G., *see* FILIPPI, G. *et al.*
CUMMING, A. M., *see* ROBERTSON, F. W. and CUMMING, A. M.

DAKER, M. G., *see* POLANI, P. E. *et al.*
DANES, B. S., and ALM, T.: *In vitro* studies on adenomatosis of the colon and rectum, 417
DANIEL, A.: Normal phenotype and partial trisomy for the G positive region of chromosome 21: case report, 227
PEREL, I. D., CLARKE, A. J., and SAVILLE, T.: Familial dicentric translocation t(13;18)(p13;p11.2) ascertained by recurrent miscarriages; case report, 73
SAVILLE, T., and SOUTHALL, D. B.: Further dicentric X isochromosomes and deletions, and a new structure i(X)(pter→q2102→pter), 278
DANIELS, G. L., *see* FILIPPI, G. *et al.*
DANKS, D. M., *see* OBERKLAID, F. *et al.*
SILLENCE, D. O. *et al.*
DARLEY, J. H., *see* WHITELAW, A. G. L. *et al.*
DAVID, T. J., PARKER, V. M., and ILLINGWORTH, C. A.: Anencephaly with diaphragmatic hernia in sibs: case report, 157
DAWSON, B., *see* BERNSTEIN, R. *et al.*
DE FRANCE, H. F., *see* KLEP-DE PATER, J. M. *et al.*
DE PATER, J. M. KLEP-, *see* KLEP-DE PATER, J. M.
DE VRIES-EKKERS, C. M. A. M., *see* KLEP-DE PATER, J. M. *et al.*
DONNAI, D., and HARRIS, R.: A further case of a new syndrome including midface retraction, hypertrichosis, and skeletal anomalies: case report, 483
DONTI, E., *see* GERLI, M. *et al.*
DUCA-MARINESCU, D. *see* BENE, M. *et al.*

EDWARDS, J. H., *see* BUNDEY, S. *et al.*
EGEDE, F., *see* NIELSEN, K. B. *et al.*
EISENSTEIN, B., STARK, H., and GOODMAN, R. M.: Benign familial haematuria in children from the Jewish communities of Israel: clinical and genetic studies, 369
EKKERS, C. M. A. M. DE VRIES-, *see* DE VRIES-EKKERS, C. M. A. M.
ELIAN, E., *see* FRYDMAN, M. *et al.*
EMERSON, P. M., *see* WHITELAW, A. G. L. *et al.*
ENDO, Y., *see* YAMAMOTO, Y. *et al.*
ERRATA, 237, 408
EVANS, K., *see* CARTER, C. O. *et al.*

FENNELL, S. J., MALCOLM, S., WILLIAMSON, R., and FERGUSON-SMITH, M. A.: Use of chromosomal translocations with *in situ* DNA hybridisation to confirm localisation of human 5S ribosomal RNA genes, 246
FENSOM, A. H., *see* POLANI, P. E. *et al.*
FERGUSON-SMITH, M. A., *see* FENNELL, S. J. *et al.*
FERRARESE, R., *see* GERLI, M. *et al.*
FILIPPI, G., RINALDI, A., CRISPONI, G., DANIELS, G. L., and SINISCALCO, M.: X-mapping in man: evidence against measurable linkage between anhidrotic ectodermal dysplasia and G6PD deficiency: short communication, 223
see also ARCHDIACONO, N. *et al.*
RINALDI, A. *et al.*
ROCCHI, M. *et al.*
FIORETTI, P., *see* FURBETTA, M. *et al.*
FITCH, N.: Classification and identification of inherited brachydactylies, 36
Hereditary brachydactyly with nail dysplasia: correspondence, 236
The Rieger syndrome: correspondence, 237
FLETCHER, J., *see* THOMSON, E. *et al.*
FLORI, E., *see* STOLL, C. *et al.*
FOLLETT, K. L., *see* LYNCH, H. T. *et al.*
FRAIS, M. A.: Gastric adenocarcinoma due to ataxia-telangiectasis (Louis-Bar syndrome): case report, 160
FRANCE, H. F. DE, *see* DE FRANCE, H. F.
FRASER, F. C., *see* HALAL, F., and FRASER, F. C.
FREIRE-MAIA, N., and PINHEIRO, M.: Recessive anonychia totalis and dominant aplasia (or hypoplasia) of upper lateral incisors in the same kindred, 45
FRIED, K., BEER, S., VURE, E., ALGOM, M., and SHAPIRA, Y.: Autosomal recessive sudden unexpected death in children probably caused by a cardiomyopathy associated with myopathy, 341
see also ALMOG, C. *et al.*
FRIEDMAN, Z., *see* GRANAT, M. *et al.*
FRYDMAN, M., SHABTAI, F., BARAK, Y., HALBRECHT, I., and ELIAN, E.: Triple mosaicism 45,XY, —18/46, XY/47,XY,+18: case report, 232
FRYKHOLM, B. C., *see* LAMON, J. M. *et al.*
FUNDERBURK, S. J., SPARKES, R. S., and KLISAK, I.: The 9p- syndrome: case report, 75
see also MOEDJONO, S. J. *et al.*
FURBETTA, M., VALENTI, C., XIMENES, A., ANGIUS, A., TUVERI, T., FIORETTI, P., and CAO, A.: Prenatal diagnosis of thalassaemia by fetal red cell concentration with anti-AB serum, 366

GARRETT, D. M., *see* POLANI, P. E. *et al.*
GARCIA, P. SALDAÑA-, *see* SALDAÑA-GARCIA, P.
GARCÍA-SAGREDO, J. M., *see* ROMÁN, C. S. *et al.*
GARDNER, H. A., and WOOD, E. M.: Variation in chromosome 19: case report, 79
GARNIER, J. M., *see* AYMÉ, S. *et al.*
GERLI, M., MIGLIORINI, G., BOCCHINI, V., VENTI, G., FERRARESE, R., DONTI, E., and ROSI, G.: A case of complete testicular feminisation and 47,XXY karyotype: case report, 480
GIBBENS, D., *see* BURN, J., and GIBBENS, D.
GIRAUD, F., *see* AYMÉ, S. *et al.*
GOLDBLATT, J., and BEIGHTON, P.: Gaucher's disease in South Africa, 302
GOODMAN, R., *see* EISENSTEIN, B. *et al.*
GOODMAN, R. M., *see* THEODOR, R. *et al.*
GORDON, H., *see* WHITELAW, A. G. L. *et al.*
GRANAT, M., FRIEDMAN, Z., and ALONI, T.: Familial infantile scoliosis associated with bilateral paralysis of conjugate gaze, 448

HADJIMINAS, M., ZACHARIADIS, Z., and STAMATOYANNOPOULOS, G.: α-thalassaemia in Cyprus, 363
HALAL, F., and FRASER, F. C.: Camptodactyly, cleft palate, and club foot (the Gordon syndrome), 149
HALBRECHT, I., *see* FRYDMAN, M. *et al.*
HAMAGUCHI, H., *see* KONDO, I. *et al.*
HARCOURT, R. B., *see* CRAWFURD, M. d'A. *et al.*
HARNDEN, D. G.: Guidelines for cytogenetic case reports: editorial, 165
Resigns as Assistant Editor, 329
HARRIS, F., *see* COWEN, J. M. *et al.*
HARRIS, R., *see* DONNAI, D., and HARRIS, R.
HARRIS, R. E., *see* LYNCH, H. T. *et al.*
HASHOLT, L.: 46,XY/45,X mosaicism in an amniotic fluid cell culture: suppression of abnormal cell line after subcultivation, 267
HEMMING, L., and BURNS, C.: Heterochromatic polymorphism in spontaneous abortions, 358
HERTZ, M., *see* THEODOR, R. *et al.*
HIGGS, D. R., CLEGG, J. B., WOOD, W. G., and WEATHERALL, D. J.: $G\gamma\beta^+$ type of hereditary persistence of fetal haemoglobin in association with Hb C, 288
HOBART, M. J., *see* ROBSON, E. B. *et al.*
HODES, M. E., *see* REED, T., and HODES, M. E.
HONEYCOMBE, J., *see* BERRY, A. C. *et al.*
HOPKINSON, D. A., *see* WHITELAW, A. G. L. *et al.*
HUGHES, J. T., *see* LINDENBAUM, R. H. *et al.*
HUNTER, A. G. W., THOMPSON, D. R., REED, M. H., and MACRODIMITRIS, A. G.: Night blindness, characteristic facies, and skeletal abnormalities in two brothers, 309

ILLINGWORTH, C. A., *see* DAVID, T. J. *et al.*
INBARAJ, S. G., *see* RAO, P. S. S., and INBARAJ, S. G.
IOAN, D., *see* BENE, M. *et al.*

JACKSON, J., *see* LALOUEL, J. M. *et al.*
JALBERT, P., and SELE, B.: Factors predisposing to adjacent 2 and 3:1 disjunctions: study of 161 human reciprocal translocations, 467
JAMES, W. H.: The sex ratio in anencephaly, 129
The sex ratio in spina bifida, 384
Sexes of affected cases in sibships containing two or more members with anencephaly or spina bifida, 306
JARAMILLO, M. A., *see* MILLER, J. Q. *et al.*
JELOWICKA, M., *see* ZAREMBA, J. *et al.*
JENKINS, T., *see* BERNSTEIN, R. *et al.*
JENSEN, F., *see* OBERKLAID, F. *et al.*
JOHNSTON, A. W., *see* ROBSON, E. B. *et al.*
JONES, M. B.: Years of life lost through Down's syndrome, 379
JORGENSON, R. J., YODER, F. E., and LEVIN, L. S.: Hereditary brachydactyly with nail dysplasia: correspondence, 236

KAMEL, K.: Heterogeneity of sickle cell anaemia in Arabs: review of cases with various amounts of fetal haemoglobin, 428
KESSEL, I., *see* CRAWFURD, M. d'A. *et al.*
KLEP-DE PATER, J. M., BIJLSMA, J. B., BLEEKER-WAGEMAKERS, E. M., DE FRANCE, H. F., and DE VRIES-EKKERS, C. M. A. M.: Two cases with different deletions of the long arm of chromosome 7, 151
KLISAK, I., *see* FUNDERBURK, S. J. *et al.*
KOHL, R., *see* BERNSTEIN, R. *et al.*
KONDO, I., HAMAGUCHI, H., MATSUURA, A., NAKAJIMA, H., KOYAMA, A., and TAKITA, H.: A case of Turner's syndrome with familial balanced translocation t(1;2)(q32;q21)mat: case report, 321
KOYAMA, A., *see* KONDO, I. *et al.*
KUĆEROVÁ, M., STRAKOVÁ, M., POLÍVKOVÁ, Z.: The Prader-Willi syndrome with a 15/3 translocation: case report, 234
see also THOMSON, E. *et al.*
KUHN, E. M., and THERMAN, E.: No increased chromosome breakage in three Bloom's syndrome heterozygotes, 219
KUROKI, Y., *see* YAMAMOTO, Y. *et al.*

LACHMANN, P. J., *see* ROBSON, E. B. *et al.*
LADAS, S., CHALEVELAKIS, G., LYBERATOS, C., VAIDAKIS, E., and ARAPAKIS, G.: Globin chain synthesis in sickle β-thalassaemic bone marrow and reticulocytes, 292
LAGOYANNI, S. PAPADAKOU-, *see* PAPADAKOU-LAGOYANNI, S.
LALOUEL, J. M., MORTON, N. E., and JACKSON, J.: Neural tube malformations: complex segregation analysis and calculation of recurrence risks, 8
LAMON, J. M., FRYKHOLM, B. C., and TSCHUDY, D. P.: Family evaluations in acute intermittent porphyria using red cell uroporphyrinogen I synthetase, 134
LAYRISSE, M., *see* SOYANO, A. *et al.*
LAYRISSE, Z., *see* SOYANO, A. *et al.*
LEVIN, L. S., *see* JORGENSON, R. J. *et al.*
LEVY, J.-M., *see* STOLL, C. *et al.*
LEWINSOHN, G., *see* ALMOG, C. *et al.*
LIBERMAN, M., *see* CRAWFURD, M. d'A. *et al.*
LINDENBAUM, R. H., CLARKE, G., PATEL, C., MONCRIEFF, M., and HUGHES, J. T.: Muscular dystrophy in an X:1 translocation female suggests that Duchenne locus is on X chromosome short arm, 389
LINDSTROM, J. A., *see* TORIELLO, H. V. *et al.*
LISTON, W. A., *see* COOPER, D. W. and LISTON, W. A.
LYBERATOS, C., *see* LADAS, S. *et al.*
LYNCH, H. T., LYNCH, P. M., FOLLETT, K. L., and HARRIS, R. E.: Familial polyposis coli: heterogeneous polyp expression in 2 kindreds, 1
LYNCH, P. M., *see* LYNCH, H. T. *et al.*

MCCONNELL, T. S., *see* MILLER, J. Q. *et al.*
MCGUIRE, V. M., *see* POLANI, P. E. *et al.*
MCKEOWN, J. A., *see* CRAWFURD, M. d'A. *et al.*
RIDLER, M. A. C. and MCKEOWN, J. A.
MACOUN, S. J. R., *see* BERRY, A. C. *et al.*
MACRODIMITRIS, A. G., *see* HUNTER, A. G. W. *et al.*
MAIA, N. FREIRE-, *see* FREIRE-MAIA, N.
MALCOLM, S., *see* FENNELL, S. J. *et al.*
MANDALIA, P. Y., *see* CRAWFURD, M. d'A. *et al.*
MARINESCU, D. DUCA-, *see* DUCA-MARINESCU, D.
MATSUURA, A., *see* KONDO, I. *et al.*
MATTEI, J. F., *see* AYMÉ, S. *et al.*
MAXIMILIAN, C., *see* BENE, M. *et al.*
MIGLIORINI, G., *see* GERLI, M. *et al.*
MILLER, J. Q., WILLSON, K., WYANDT, H., JARAMILLO, M. A., and MCCONNELL, T. S.: Familial partial 14 trisomy, 60
MIYAWAKI, J., *see* NANKO, S., and MIYAWAKI, J.

MOEDJONO, S. J., FUNDERBURK, S. J., SPARKES, R. S.: 18p− syndrome resulting from translocation (13q;18q) in a mildly affected adult male: case report, 399
MOHR, J., *see* NIELSEN, K. B. *et al.*
MONCRIEFF, M., *see* LINDENBAUM, R. H. *et al.*
MOREIRA-FILHO, C. A., and NEUSTEIN, I.: A presumptive new variant of Norrie's disease, 125
MORTON, N. E., *see* LALOUEL, J. M. *et al.*
MOURIDSEN, I., *see* NIELSEN, K. B. *et al.*
MOWBRAY, J. F., *see* NIAZI, M. *et al.*

NAKAJIMA, H., *see* KONDO, I., *et al.*
NANKO, S., and MIYAWAKI, J.: Prolonged P-R interval in a male with 47,XYY karyotype: case report, 479
NEEL, J. V., *see* SOYANO, A. *et al.*
NEUSTEIN, I., *see* MOREIRA-FILHO, C. A. and NEUSTEIN, I.
NEVIN, G. B., NEVIN, N. C., and REDMOND, A. O.: Cystic fibrosis in Northern Ireland, 122
NEVIN, N. C., *see* NEVIN, G. B. *et al.*
NIAZI, M., COLEMAN, D. V., MOWBRAY, J. F., and BLUNT, S.: Tissue typing amniotic fluid cells: potential use for detection of contaminating maternal cells, 21
NIELSEN, K. B., EGEDE, F., MOURIDSEN, I., and MOHR, J.: Familial partial 7q monosomy resulting from segregation of an insertional chromosome rearrangement, 461

OBERKLAID, F., DANKS, D. M., JENSEN, F., STAGE, L., and ROSSHANDLER, S.: Achondroplasia and hypochondroplasia, 140
OSTROWSKA, D., *see* ZAREMBA, J. *et al.*

PAPADAKOU-LAGOYANNI, S., *see* CÔTÉ, G. B., and PAPADAKOU-LAGOYANNI, S.
PARKER, V. M., *see* DAVID, T. J. *et al.*
PATEL, C., *see* LINDENBAUM, R. H. *et al.*
PATER, J. M. KLEP-DE, *see* KLEP-DE PATER, J. M.
PELISSIER, J. F., *see* AYMÉ, S. *et al.*
PEREL, I. D., *see* DANIEL, A. *et al.*
PESCIA, G., *see* CARTER, C. O. *et al.*
PINHEIRO, M., *see* FREIRE-MAIA, N., and PINHEIRO, M.
POLANI, P. E., ALBERMAN, E., ALEXANDER, B. J., BENSON, P. F., BERRY, A. C., BLUNT, S., DAKER, M. G., FENSOM, A. H., GARRETT, D. M., MCGUIRE, V. M., FRASER ROBERTS, J. A., SELLER, M. J., and SINGER, J. D.: Sixteen years' experience of counselling, diagnosis, and prenatal detection in one Genetic Centre: progress, results, and problems, 166
POLÍVKOVÁ, Z., *see* KUČEROVÁ, M. *et al.*
PRICE, W. H.: A high incidence of chronic inflammatory bowel disease in patients with Turner's syndrome, 263
see also CAMPBELL, W. A., and PRICE, W. H.

RAO, P. S. S., and INBARAJ, S. G.: Inbreeding effects on fertility and sterility in southern India, 24
REDMOND, A. O., *see* NEVIN, G. B. *et al.*
REED, M. H., *see* HUNTER, A. G. W. *et al.*
REED, T., and HODES, M. E.: Single crease on the 5th finger in medical disorders and in normal population: correspondence, 406
References, new style, 245, 408, 489
REID, C., *see* WHITELAW, A. G. L. *et al.*
REIF, R., *see* ALMOG, C. *et al.*
RIDLER, M. A. C., and MCKEOWN, J. A.: Trisomy 16q arising from a maternal 15p;16q translocation: case report, 317
see also CRAWFURD, M. d'A. *et al.*
RILEY, E., and SWIFT, M.: Congenital horizontal gaze palsy and kyphoscoliosis in two brothers: case report, 314
RINALDI, A., ARCHIDIACONO, N., ROCCHI, M., and FILIPPI, G.: Additional pedigree supporting the frequent origin of XXYY from consecutive meiotic non-disjunction in paternal gametogenesis: short communication, 225
see also FILIPPI, G. *et al.*
ROBERTS, J. A. FRASER, *see* POLANI, P. E. *et al.*
ROBERTS, N. B., *see* WAFT, L. *et al.*
ROBERTSON, F. W., and CUMMING, A. M.: Genetic and environmental variation in serum lipoproteins in relation to coronary heart disease, 85
ROBSON, E. B., LACHMANN, P. J., HOBART, M. J., and JOHNSTON, A. W.: Linkage studies in hereditary angio-oedema, 347
ROCCHI, M., STORMI, M., ARCHIDIACONO, N., and FILIPPI, G.: Extra small metacentric chromosome identified as i(18p): case report, 69
see also ARCHDIACONO, N. *et al.*
RINALDI, A. *et al.*
RODEWALD, A.: Trisomy 5p syndrome: correspondence, 406
and WISCHERATH, H.: Single crease on the 5th finger in medical disorders and in normal population: correspondence, 406
ROGERS, J. G., and CHASE, G. A.: Paternal age effect in fibrodysplasia ossificans progressiva, 147
ROGERS, P. A., *see* WHITELAW, A. G. L. *et al.*
ROMÁN, C. S., SORDO, M. T., and GARCÍA-SAGREDO, J. M.: Meiosis in two human reciprocal translocations, 56
ROSENMANN, A., *see* COHEN, T. *et al.*
ROSI, G., *see* GERLI, M. *et al.*
ROSSHANDLER, S., *see* OBERKLAID, F. *et al.*
RUSHTON, A. R., and SHAYWITZ, B. A.: Tuberous sclerosis: possible modification of phenotypic expression by an unlinked dominant gene, 32

SAGREDO, J. M. GARCÍA-, *see* GARCÍA-SAGREDO, J. M.
SAHA, N.: Association of glucose-6-phosphate dehydrogenase deficiency with diabetes mellitus in ethnic groups of Singapore, 431
SALDAÑA-GARCIA, P., *see* CRAWFURD, d'A. and SALDAÑA-GARCIA, P.
SATAPATHY, R. K., and SKINNER, R.: Serum creatine kinase levels in normal females, 49
SAVILLE, T., *see* DANIEL, A. *et al.*
SCHOTT, G. D.: Hereditary brachydactyly with nail dysplasia: correspondence, 236
SELE, B., *see* JALBERT, P., and SELE, B.
SELLER, M. J., *see* POLANI, P. E. *et al.*
SENN, A., *see* SILLENCE, D. O. *et al.*
SHABTAI, F., *see* FRYDMAN, M. *et al.*
SHAPIRA, Y., *see* FRIED, K. *et al.*
SHAW, P. A., *see* CRAWFURD, M. d'A. *et al.*

SHAYWITZ, B. A., *see* RUSHTON, A. R., and SHAYWITZ, B. A.
SILLENCE, D. O., SENN, A., and DANKS, D. M.: Genetic heterogeneity in osteogenesis imperfecta, 101
SINGER, J. D., *see* POLANI, P. E. *et al.*
SINISCALCO, M., *see* FILIPPI, G. *et al.*
SKINNER, R., *see* SATAPATHY, R. K., and SKINNER, R.
SMITH, M. A. FERGUSON-, *see* FERGUSON-SMITH, M. A.
SORDO, M. T., *see* ROMÁN, C. S. *et al.*
SOUTHALL, D. B., *see* DANIEL, A. *et al.*
SOYANO, A., LAYRISSE, Z., LAYRISSE, M., and NEEL, J. V.: Hepatitis-Bs antigen in an isolated Indian population of southern Venezuela: a family study, 201
SPARKES, R. S., *see* BASS, H. N. and SPARKES, R. S.
FUNDERBURK, S. J. *et al.*
MOEDJONO, S. J. *et al.*
STACE, L., *see* OBERKLAID, F. *et al.*
STAMATOYANNOPOULOS, G., *see* HADJIMINAS, M. *et al.*
STARK, H., *see* EISENSTEIN, B., *et al.*
STEPIEŃ, M., *see* ZAREMBA, J. *et al.*
STERN, E., *see* COHEN, T. *et al.*
STEWART, J. M., and STOLL, S.: Familial caudal regression anomalad and maternal diabetes, 17
STOLL, C., FLORI, E., CLAVERT, A., BESHARA, D., and BUCK, P.: Abnormal children of a 47,XYY father, 66
LEVY, J.-M., and BESHARA, D.: Roberts's syndrome and clonidine: case report, 486
STOLL, S., *see* STEWART, J. M., and STOLL, S.
STORMI, M., *see* ROCCHI, M. *et al.*
STRAKOVÁ, M., *see* KUĆEROVÁ, M. *et al.*
SWIFT, M., *see* RILEY, E., and SWIFT, M.

TAKITA, H., *see* KONDO, I. *et al.*
TAYLOR, W. H., *see* WAFT, L. *et al.*
TECILAZICH, D., *see* ARCHIDIACONO, M. *et al.*
THEODOR, R., HERTZ, M., and GOODMAN, R. M.: Symphalangism, short stature, skeletal anomalies and accessory testis: a new malformation syndrome: case report, 159
THERMAN, E., *see* KUHN, E. M., and THERMAN, E.
THOMPSON, D. R., *see* HUNTER, A. G. W. *et al.*
THOMSON, E., FLETCHER, J., CHANDLEY, A. C., and KUĆEROVÁ, M.: Meiotic and radiation studies in four oligochiasmatic men, 270
TONINI, G., *see* ARCHIDIACONO, N. *et al.*
TORIELLO, H. V., LINDSTROM, J. A., WATERMAN, D. F., and BAUGHMAN, F. A.: Re-evaluation of CHANDS: case report, 316
TSCHUDY, D. P., *see* LAMON, J. M. *et al.*
TUVERI, T., *see* FURBETTA, M. *et al.*

VALENTI, C., *see* FURBETTA, M. *et al.*
Vancouver agreement for giving references, 245, 408, 489
VENTI, G., *see* GERLI, M. *et al.*
VRIES-EKKERS, C. M. A. M. DE, *see* DE VRIES-EKKERS, C. M. A. M.
VURE, E., *see* FRIED, K. *et al.*

WADIA, R. S.: Covesdem syndrome: correspondence, 162
WAFT, L., ROBERTS, N. B., and TAYLOR, W. H.: Hereditary aspects of duodenal ulceration: pepsin 1 secretion in relation to ABO blood groups and ABH secretor status, 423
WAGEMAKERS, E. M. BLEEKER-, *see* BLEEKER-WAGEMAKERS, E. M.
WALKER, S., *see* COWEN, J. M. *et al.*
WALLACE, M. E., BADR, F. M., and BADR, R. S.: Studies in mice on the mutagenicity of two contraceptive drugs, 206
WARREN, J., EVANS, K., and CARTER, C. O.: Offspring of patients with tracheo-oesophageal fistula, 338
WATERMAN, D. F., *see* TORIELLO, H. V. *et al.*
WEATHERALL, D. J., *see* HIGGS, D. R. *et al.*
WESTHEAD, R. A., *see* BUNDEY, S. *et al.*
WHITELAW, A. G. L., ROGERS, P. A., HOPKINSON, D. A., GORDON, H., EMERSON, P. M., DARLEY, J. H., REID, C., CRAWFURD, M. d'A.: Congenital haemolytic anaemia resulting from glucose phosphate isomerase deficiency: genetics, clinical picture, and prenatal diagnosis, 189
WILLIAMS, D. R. R., and CARTWRIGHT, R. A.: Genetic polymorphisms in diabetics and non-diabetics, 351
WILLIAMSON, R., *see* FENNELL, S. J. *et al.*
WILLSON, K., *see* MILLER, J. Q. *et al.*
WISCHERATH, H., *see* RODEWALD, A., and WISCHERATH, H.
WOOD, E. M., *see* GARDNER, H. A., and WOOD, E. M.
WOOD, W. G., *see* HIGGS, D. R. *et al.*
WYANDT, H., *see* MILLER, J. Q. *et al.*

XIMENES, A., *see* FURBETTA, M. *et al.*

YAMAMOTO, Y., ENDO, Y., and KUROKI, Y.: A case of partial trisomy 17 resulting from X-autosomal translocation: case report, 395
YODER, F. E., *see* JORGENSON, R. J. *et al.*

ZACHARIADIS, Z., *see* HADJIMINAS, M. *et al.*
ZAREMBA, J., STEPIEŃ, M., JELOWICKA, M., and OSTROWSKA, D.: Hereditary neurocutaneous angioma: a new genetic entity? 443
ZIEGHELBOIM, J., *see* ALMOG, C. *et al.*

SUBJECT INDEX TO VOLUME 16

Note: All conferences, symposia, and meeting notices are under one heading: ANNOUNCEMENTS

Abortion(s), selective mechanism, and spina bifida: hypothesis, 210
spontaneous, heterochromatic polymorphism in, 358
parental origin of triploidy and D and G trisomy in, 285
Achondroplasia and hypochondroplasia, frequency, mutation rate, and radiological features in skull and spine, 140
Adenocarcinoma, gastric, due to ataxia-telangiectasia (Louis-Bar syndrome): case report, 160
Adenomatosis of colon and rectum, *in vitro* studies, 417
Amniocentesis, indications, 16 years' experience in one Genetic Centre, progress, results, and problems, 166
Amniotic fluid cell culture, 46,XY/45,X mosaicism in, suppression of abnormal cell line after subcultivation, 267
tissue typing, and detection of contaminating maternal cells, 12
Anaemia, haemolytic, *see* Haemolytic anaemia
inherited, in Greek community of Cape Town, 197
sickle cell, heterogeneity in Arabs, various amounts of fetal haemoglobin, 428
Anencephaly with diaphragmatic hernia in sibs: case report, 157
and other neural tube malformations: complex segregation analyses and calculation of recurrence risks, 8
sex ratio, 129
sexes of affected cases in sibships containing two or more members with, 306
sib risk, and indication of prenatal diagnosis following birth of a hydrocephalic child, 14
Angioma, hereditary neurocutaneous, a new genetic entity, 443
Angio-oedema, hereditary, linkage studies, 347
Anhidrotic ectodermal dysplasia and G6PD deficiency, measurable linkage between, X-mapping evidence: short communication, 223
ANNOUNCEMENTS
European Society of Human Genetics, 19–21 July 1979, Southampton, 163
Internation Symposium on Oligozoospermia, 29–31 May 1980, L'Aquila, Italy, 163
Japan Society of Human Genetics, 24th Annual Meeting, 3–5 November 1979, Tokyo, 328
Postgraduate course in genetic red blood cell defects, San Francisco, March 9 and 10 1979, 84
References in *J. Med. Genet.* to be submitted according to Vancouver agreement, 245, 402, 489
Second International Clinical Genetics Seminar, 4–7 June 1979, Athens, 163
Ataxia, non-progressive cerebellar, aplasia of pupillary zone of iris and mental subnormality (Gillespie's syndrome), affecting 3 members of a non-consanguineous family in 2 generations, 373
Ataxia-telangiectasia with gastric adenocarcinoma (Louis-Bar syndrome): case report, 160
Blood group AB, prenatal diagnosis of β-thalassaemia by fetal red cell concentration with anti-AB serum, 366
ABO, and hereditary duodenal ulceration, 423
Bloom's syndrome, no increased chromosome breakage in three heterozygotes, 219
BOOK REVIEWS:
BEIGHTON, P.: Inherited disorders of the skeleton, 1978, 242
BOSTOCK, C. J., and SUMNER, A. T.: The eukaryotic chromosome, 1977, 244
British Medical Bulletin: The HLA system, 1978, 238
CLEGG, E. J.: The study of man. An introduction to human biology, 2nd ed., 1978, 242
FUDENBERG, H. H., *et al.*: Basic immunogenetics, 2nd ed., 1978, 239
HAYAT, M. A.: Introduction to biological scanning electron microscopy, 1978, 81
HUISMAN, T. H. J. and JONXIS, J. H. P.: The hemoglobinopathies. Techniques of identification, 82
KEITH, C. G.: Genetics and ophthalmology, 1978, 328
LEVITAN, M., and MONTAGU, A.: Textbook of human genetics, 2nd ed., 1977, 243
McKUSICK, V. A.: Medical genetic studies of the Amish. Selected papers, 1978, 238
MAVALWALA, J.: Dermatoglyphics. An international bibliography, 83
MOURANT, A. E. *et al.*: Blood groups and diseases, A study of associations of diseases with blood groups and other polymorphisms, 1978, 241
RICCARDI, V. M.: The genetic approach to human disease, 1977, 83
SCHNEIDER, E. L., *editor*: The genetics of ageing, 1978, 239
TANNER, J. M.: Foetus into man, physical growth from conception to maturity, 1978, 81
Bowel disease, chronic inflammatory, with Turner's syndrome, high incidence, 263
Brachydactyly, hereditary, with nail dysplasia: correspondence, 236
classification and identification, 36
and polydactyly with dermal ridge dissociation and ridge hypoplasia: case report, 402

Camptodactyly, cleft palate, and club foot (the Gordon syndrome), report of large pedigree, 149
Cardiomyopathy associated with myopathy, autosomal recessive, probable cause of sudden unexpected death, 341
Carnitine deficiency and autosomal recessive lipid storage myopathy, 435
Case reports, cytogenetic, guidelines for publication: editorial, 165
Caudal regression anomalad, familial, and maternal diabetes, 17
CHANDS (curly hair, ankyloblepharon, nail dysplasia syndrome), re-evaluation: case report, 316
China, medical genetics in, 330
Chromosomes, abnormal, general
  isochromosomes, dicentric X, and deletions, and new structure i(X) (pter→q2102→pter) 278
  translocations, use with *in situ* DNA hybridisation to confirm localisation of human 5S ribosomal RNA genes, 246
  XXYY from consecutive meiotic non-disjunction in paternal gametogenesis, additional pedigree supporting frequent origin: short communication, 225
  47,XXY, and complete testicular feminisation: case report, 480
  47,XYY father with abnormal children, 66
  47,XYY with prolonged P-R interval: case report, 479
Chromosomes, Group A
  deletion, *de novo* interstitial del(1) (p21p32): case report, 323
  translocation, X:1, muscular dystrophy, female, suggests that Duchenne locus is on X chromosome short arm, 389
    t(1;2)(q32;q21)mat, with Turner's syndrome: case report, 321
    reciprocal, factors predisposing to adjacent 2 and 3:1 disjunctions, 467
    46,XY,t(2;11) (p21;q25), meiosis, 56
    15/3, with Prader-Willi syndrome: case report, 234
Chromosomes, Group B
  trisomy 5p syndrome: correspondence, 406
  7, deletions of long arm, two cases, 151
  monosomy 7, partial, with interstitial deletions in two infants with differing congenital abnormalities, 453
    partial 7q, familial, resulting from segregation of an insertional chromosome rearrangement, 461
  translocations, balanced, in three generations of a pedigree, t(7;10)(q11;q22) and t(14;21) (14qter→cen→21qter), 215
  trisomy 7p, partial, two children; case report, 320
  9p−syndrome: case report, 75
  translocations 46,XY,t(9;11)(q34;q13) and 46,XY, t(2;11) (p21;q25), meiosis, 56
Chromosomes, Group D
  translocation (13q;18q), 18p-syndrome resulting from: case report, 399
    dicentric, familial t(13;18)(p13;p11.2) ascertained by recurrent miscarriages: case report, 73
  trisomy, D and G, parental origin in spontaneous abortions, 285
  trisomy 13, and extended survival: case report, 155
  trisomy 14, partial, familial, 4 children, 60
  translocation 15/3, with Prader-Willi syndrome: case report, 234
    45,X,—15,+t(X;15), retarded girl, X inactivation pattern and attempt to localise the hexosaminidase A and other loci, 254
Chromosomes, Group E
  trisomy 16q arising from a maternal 15p;16q translocation: case report, 317
  trisomy 17, partial, resulting from X-autosomal translocation: case report, 395
  i(18p), extra small metacentric, clinical development from birth to 12 month: case report, 69
  translocations, dicentric familial, t(13;18)(p13;p11.2) ascertained by recurrent miscarriages: case report, 73
  triple mosaicism, 45,XY,—18/46,XY/47,XY,+18: case report, 232
Chromosomes, Group F
  19, variations in centrometric staining: case report, 79
  trisomy 20p from maternal t(3;20) translocation: case report, 229
Chromosomes, Group G
  21, normal phenotype and partial trisomy for the G positive region of: case report, 227
Cleft palate, club foot, and camptodactyly (Gordon syndrome), report of large pedigree, 149
Clonidine and Robert's syndrome: case report, 486
Club foot, cleft palate, and camptodactyly (Gordon syndrome), report of large pedigree, 149
  midface retraction, hypertrichosis, and skeletal anomalies: case report, 483
Colon and rectum, adenomatosis, *in vitro* studies, 417
Consanguinity and Duchenne type muscular dystrophy, difficulties in pedigree analysis: case report, 393
Contraceptive drugs, Gynanovlar and Lyndiol, mutagenicity, mice, 206
Coronary heart disease, genetic and environmental variation in serum lipoproteins in relation to, 85
CORRESPONDENCE
  Covesdem syndrome, 162
  Hereditary brachydactyly with nail dysplasia, 236
  Rieger syndrome, 236
  Single crease on the 5th finger in medical disorders and in normal population, 406
  Trisomy 5p syndrome, 406
Counselling, *see* Genetic counselling
Covesdem syndrome: correspondence, 162
Crease, single flexion, on 5th finger in medical disorders and in normal population: correspondence, 406
Creatine kinase, serum levels, in normal females, 49
  in pubertal, pregnant, mature, and postmenopausal women, 117
Curly hair, ankyloblepharon, nail dysplasia syndrome (CHANDS), re-evaluation: case report, 316
Cystic fibrosis in Northern Ireland, 122
Cytogenetic case reports, guidelines for publication: editorial, 165

Death, sudden unexpected, autosomal recessive, probably caused by cardiomyopathy associated with myopathy, 341
Deletions, chromosome 7, two cases with differing congenital abnormalities, 453
  de novo interstitial, del(1) (p21p23): case report, 323
  of long arm, chromosome 7, two cases, 151
Diabetes mellitus, association with G6PD deficiency in ethnic groups in Singapore, 431
  maternal, and familial caudal regression anomalad, 17
  and non-diabetics, genetic polymorphisms, 351

Diagnosis, prenatal, counselling, and prenatal detection, 16 years' experience in one Genetic Centre, progress, results, and problems, 166
glucose phosphate isomerase deficiency causing congenital haemolytic anaemia, 189
indication, following birth of hydrocephalic child, sib risk of neural tube defect, 14
of β-thalassaemia by fetal red cell concentration with anti-AB serum, 366
Diaphragmatic hernia and anencephaly in two sibs: case report, 157
DNA hybridisation, *in situ*, use of chromosomal translocations to confirm localisation of human 5S ribosomal RNA genes, 246
Down's syndrome, years of life lost through, 379
Duchenne type muscular dystrophy, *see* Muscular dystrophy
Duodenal ulceration, hereditary aspects, pepsin 1 secretion in relation to ABO blood groups and ABH secretor status, 423
Dysplasia, nail, with hereditary brachydactyly: correspondence, 236

Editorials
Guidelines for cytogenetic case reports, 165
Professor Harnden resigns as Assistant Editor, 329
Electrocardiography, prolonged P-R interval in a male with 47,XYY karyotype: case report, 479
Errata, 237, 408

Facies, characteristic, night blindness, and skeletal abnormalities in two brothers, 309
Familial polyposis coli: heterogeneous polyp expression in 2 kindreds, 1
Fertility and sterility, effect of inbreeding in southern India, 24
Fibrodysplasia ossificans progressiva, paternal age effect, 147

Gastric adenocarcinoma due to ataxia-telangiectasia (Louis-Bar syndrome): case report, 160
Gaucher's disease in South Africa, 302
Gaze palsy, congenital horizontal, and kyphoscoliosis in two brothers: case report, 314
conjugate, bilateral, associated with familial infantile scoliosis, 448
Genetic counselling, diagnosis and prenatal detection, 16 years' experience in one Genetic Centre, progress, results, and problems, 166
Genetics, medical, in China, 330
Gillespie's syndrome affecting 3 members of a non-consanguineous family in 2 generations, 373
Glucose-6-phosphate dehydrogenase deficiency and anhidrotic ectodermal dysplasia, measurable linkage between, X-mapping evidence: short communication, 223
association with diabetes mellitus in ethnic groups in Singapore, 431
and inherited anaemias in Greek community of Cape Town, 197
Glucose phosphate isomerase deficiency, causing congenital haemolytic anaemia, genetics, clinical picture, and prenatal diagnosis, 189
Gordon syndrome (camptodactyly, cleft palate, and club foot), report of large pedigree, 149
Gynanovlar and Lyndiol, mutagenicity, mice, 206

Haematuria, benign familial, in children from Jewish communities of Israel, clinical and genetic studies, 369
Haemoglobin, fetal, $G\gamma\beta^+$ type of hereditary persistence in association with Hb C, 288
various amounts, and the heterogeneity of sickle cell anaemia in Arabs, 428
Haemolytic anaemia, congenital, resulting from glucose phosphate isomerase deficiency: genetics clinical picture, and prenatal diagnosis, 189
Harnden, D. G. resigns as Assistant Editor, 329
Hepatitis-Bs antigen in an isolated population of southern Venezuela: family study, 201
Hernia, diaphragmatic, and anencephaly in two sibs: case report, 157
Hexosaminidase A localisation, 254
Hydrocephalus, and sib risk of neural tube defect, indication of prenatal diagnosis following, 14
Hypertrichosis, club feet, midface retraction, and skeletal anomalies: case report, 483
Hypochondroplasia and achondroplasia, frequency, mutation rate, and radiological features in skull and spine, 140
Hypothesis: May spina bifida result from an X-linked defect in a selective abortion mechanism? 210
Hypothyroidism, congenital, in Klinefelter's syndrome, 439

Inbreeding effects on fertility and sterility in southern India, 24
Incisors, upper lateral, recessive anonychia totalis and dominant aplasia (or hypoplasia), in same kindred, 45
Inflammatory bowel disease, chronic, with Turner's syndrome, high incidence, 263
Iris, aplasia of pupillary zone, *see* Gillespie's syndrome
Isochromosomes, dicentric X, and deletions, and new structure i(X) (pter→q2102→pter), 278

Klinefelter's syndrome, congenital hypothyroidism in, 439
Kyphoscoliosis, and congenital horizontal gaze palsy in two brothers: case report, 314

Lipid storage myopathy, autosomal recessive, probable carnitine deficiency 435
Lipoproteins, serum, genetic and environmental variation in relation to coronary heart disease, 85
Louis-Bar syndrome (gastric adenocarcinoma with ataxia-telangiectasia): case report, 160
Lymphocyte cultures, increased chromosomal anomalies, and β-thalassaemia, 52
Lyndiol and Gynanovlar, mutagenicity, mice, 206

Maternal cell contamination, detection by tissue typing cells of amniotic fluid, 21
Meiosis, in reciprocal translocations, two cases, 56
and radiation studies in four oligochiasmatic men, 270
Midface retraction, club feet, hypertrichosis, and skeletal anomalies: case report, 483
Monosomy 7, partial, with interstitial deletions in two infants with differing congenital abnormalities, 435
7q, partial, familial, resulting from segregation of an insertional chromosome rearrangement, 461

Mosaicism, triple, Group E, 45, XY,—18/46, XY/47, XY,+18: case report, 232
Muscular dystrophy, Duchenne type, and consanguinity: difficulties in pedigree analysis: case report, 393
in an X:1 translocation female suggests that Duchenne locus is on X chromosome short arm, 389
Myopathy, autosomal recessive lipid storage, probable carnitine deficiency, 435

Neural tube defect, sib risk, and indication of prenatal diagnosis following birth of a hydrocephalic child, 14
complex segregation analysis and calculation of recurrence risks, 8
see also Anencephaly: Spina bifida
Night blindness, characteristic facies, and skeletal abnormalities in two brothers, 309
Norrie's disease, presumptive new variant, 125

Oligochiasmatic males, meiotic and radiation studies, 270
Osteogenesis imperfecta, genetic heterogeneity, 101

Pepsin 1 secretion in relation to ABO blood groups and ABH secretor status, and hereditary aspects of duodenal ulceration, 423
Polydactyly and brachydactyly with dermal ridge dissociation and ridge hypoplasia: case report, 402
Polymorphisms, genetic, in diabetics, and non-diabetics 351
heterochromatic, in spontaneous abortions, 358
Polyposis coli, familial: heterogeneous polyp expression in 2 kindreds, 1
Porphyria, acute intermittent, family evaluations using red cell uroporphyrinogen I synthetase, 134
Prader-Willi syndrome with a 15/3 translocation: case report, 234
Pre-eclampsia, severe, genetic control, 409
Prenatal detection, counselling, and diagnosis, 16 years' experience in one Genetic Centre, progress, results, and problems, 166
Prenatal diagnosis, *see* Amniotic fluid: Diagnosis, prenatal

Radiation and meiotic studies in four oligochiasmatic men, 270
Rectum and colon, adenomatosis, *in vitro* studies, 417
References in *J. Med. Genet.* to be submitted according to Vancouver agreement, 245, 408, 489
Renal agenesis, family studies, 176
Reticulocytes, globin chain synthesis, 296
Rieger syndrome: correspondence, 236
RNA genes, 5S ribosomal, localisation, use of chromosomal translocations with *in situ* DNA hybridisation to confirm, 246
Robert's syndrome and clonidine: case report, 486

Scoliosis, familial infantile, associated with bilateral paralysis of conjugate gaze, 448
Skeletal anomalies, club feet, hypertrichosis, and midface retraction: case report, 483
night blindness, and characteristic facies, 309
short stature, symphalangism, and accessory testis, a new malformation syndrome: case report, 159
Sorsby, Arnold, Honorary Doctorate in City University, 329
Spina bifida, and other neural tube malformations: complex segregation analysis and calculation of recurrence risks, 8
as a result of an X-linked defect in a selective abortion mechanism?: hypothesis, 210
sexes of affected cases in sibships containing two or more members, 306
sex ratio, 384
sib risk, and indication of prenatal diagnosis following birth of a hydrocephalic child, 14
Stature, short, symphalangism, skeletal anomalies, and accessory testis: new malformation syndrome: case report, 159
Sterility and fertility, effect of inbreeding in southern India, 24
Sudden unexpected death, autosomal recessive, probably caused by a cardiomyopathy associated with myopathy, 341
Symphalangism, short stature, skeletal anomalies, and accessory testis: new malformation syndrome: case report, 159

Testicular feminisation, complete, and 47,XXY karyotype: case report, 480
Testis, accessory, skeletal anomalies, symphalangism, and short stature, a new malformation syndrome: case report, 159
α-thalassaemia in Cyprus, 363
β-thalassaemia, bone marrow, globin chain synthesis, 296
increased chromosomal anomalies in lymphocyte cultures, 52
prenatal diagnosis by fetal red cell concentration with anti-AB serum, 366
Tissue typing amniotic fluid cells: potential use for detection of contaminating maternal cells, 21
see also Amniotic fluid
Tracheo-oesophageal fistula, offspring of patients with, 338
Translocation, X:1 muscular dystrophy, female, suggests that Duchenne locus is on X chromosome short arm, 389
balanced, in three generations of a pedigree, t(7;10)(q11;q22) and t(14;21)(14qter→cen→21qter), 215
dicentric familial, t(13;18)(p13;p11.2) ascertained by recurrent miscarriages: case report, 73
maternal t(3;20), trisomy 20p from: case report, 229
reciprocal, factors predisposing to adjacent 2 and 3:1 disjunctions, 467
reciprocal, meiosis, two cases, 46,XY,t(9;11)(q34;q13) and 46,XY,t(2;11)(p21;q25), 56
t(1;2)(q32;21q)mat, with Turner's syndrome: case report, 321
use with *in situ* DNA hybridisation to confirm localisation of human 5S ribosomal RNA genes, 246
(13q;18q) causing 18p−syndrome: case report, 399
45,X,—15+t(X;15), retarded girl, X inactivation pattern and attempt to localise the hexosaminidase A and other loci, 254
Triploidy, parental origin, and D and G trisomy in spontaneous abortions, 285

Trisomy 5p syndrome: correspondence, 406
7p, partial, two children: case report, 320
13 and extended survival; case report, 155
14, partial, familial, 4 children, 60
D and G, parental origin in spontaneous abortions, 285
16q arising from a maternal 15p;16q translocation: case report, 317
17, partial, resulting from X-autosomal translocation: case report, 395
20p from maternal t(3;20) translocation: case report, 229
21, partial, and normal phenotype: case report, 227
Tuberous sclerosis, possible modification of phenotypic expression by an unlinked dominant gene, 32
Turner's syndrome, with chronic inflammatory bowel disease, high incidence, 263
with familial balanced translocation t(1;2)(q32;q21) mat: case report, 321
Upper lateral incisors, recessive anonychia totalis and dominant aplasia (or hypoplasia), in same kindred, 45
Uroporphyrinogen I synthetase, red cell, family evaluations of acute intermittent porphyria using, 134

Vancouver agreement, references in *J. Med. Genet.* should conform to, 245, 408, 489

X-mapping, evidence against measurable linkage between anhidrotic ectodermal dysplasia and G6PD deficiency: short communication, 223